Seat Belt for Forklifts

Forklift Seat Belts - Described in the Regulation guidelines are the use of operative restraints and seatbelts on forklifts. It says that the accountability falls on the employers' to be able to ensure that each machine, piece of equipment and device is used properly used in accordance to the instructions of the producer.

With regards to their design, maintenance, inspection, fabrication and use Rough Terrain forklifts need to satisfy the guidelines of ANSI Standard ASME B56.6-1992.

Mobile machines such as side boom tractors along with a Rollover Protective Structure (ROPS), ought to contain seat belts that meet the Society of Automotive Engineers safety requirements; Society of Automotive Engineers Standard J386 JUN93, Operator Restraint System for Off-Road Work Machines. If any mobile machine includes seat belts required by law, the operator and subsequent passengers ought to make sure they utilize the belts each time the motor vehicle is in motion or engaged in operation since this can cause the machinery to become unstable and hence, unsafe.

If a seat belt or various operator restraint is required on a lift truck.

While working a forklift, the seat belt requirements will depend on some factors. Contributing factors to this determination might include whether or not the lift truck is outfitted together with a Rollover Protective Structure, the type of forklift itself and the year the forklift was manufactured. The manufacturer's instructions and the requirements of the applicable standard are referenced in the Regulation.

With regards to powered industrial lift trucks, ANSI Standard ASME B56.1-1993 refers to a driver restraint device, system, or enclosure. A driver restraint device, system, or enclosure is intended in order to aid the operator in lessening the chance of entrapment of the torso and/or head between the truck and the ground in the event of a tip over. The system or restraint device can comprise a seat belt, although a seat belt is not necessarily a part of such device or system.